IN THE CLAIMS

Please amend claims 1, 2 and 8 as follows:

- (Currently Amended) A method of amplifying an envelope-defective retrovirus comprising:
- (a) integrating a transgene encoding a virus envelope into the genome of a cell to produce an indicator cell:
- (b) contacting an the indicator cell produced in step (a) comprising a virus envelope gene integrated into the genome of the indicator cell with an exogenous envelope-defective retrovirus, wherein virus envelope encoded by said gene complements said retrovirus.
- 2. (Currently Amended) The method of claim 1, wherein said virus envelope is carried incorporated by a virus particle produced by said indicator cell.
- (Previously Presented) The method of claim 1, wherein said virus envelope is expressed by said indicator cell.
- 4. (Previously Presented) The method of claim 1, wherein the virus envelope gene is vesicular stomatitis virus protein G (VSVG).
- 5. (Previously Presented) The method of claim 1, wherein the retrovirus comprises an immunodeficiency virus.

- 6. (Previously Presented) The method of claim 1, wherein the retrovirus comprises human immunodeficiency virus (HIV).
- 7. (Previously Presented) The method of claim 1, wherein expression of the envelope gene is controlled by an inducible promoter.
- 8. (Withdrawn and Amended) A method of detecting envelope-defective retrovirus comprising:
 - (a) amplifying an envelope-defective retrovirus by the method of claim 1; and
 - (b) detecting presence of recombinant viral particles produced by the indicator cell.